

From: [Wood, Robert](#)
To: [Opalski, Dan](#)
Subject: RE: Cook Inlet
Date: Thursday, March 03, 2016 2:15:13 PM

Yep. That sounds fine. I'm about to head out for the weekend. You want to talk by phone sometime next week?

From: Opalski, Dan
Sent: Thursday, March 03, 2016 5:12 PM
To: Wood, Robert <Wood.Robert@epa.gov>
Subject: RE: Cook Inlet

Thanks, Rob. What I would like to do if you don't mind is to lay out a few things for you first, and then we could decide what next step(s) might make sense. It is relatively conceptual at this point. Would you be all right with that?

Dan Opalski
Director
Office of Water and Watersheds
U.S. Environmental Protection Agency, Region 10
1200 Sixth Avenue, Suite 900
Seattle, WA 98101
206-553-1855
FAX: 206-553-1280

From: Wood, Robert
Sent: Thursday, March 03, 2016 1:04 PM
To: Opalski, Dan <Opalski.Dan@epa.gov>
Subject: Re: Cook Inlet

Thanks, Dan. On the MDL matter, is there a staff person I can ask someone one our methods team to follow up with?

Robert Wood
Director,
Engineering and Analysis Division
U.S. EPA Office of Water
202-566-1822
c) 202-329-8053

Sent from my iPhone (please excuse typos)

On Mar 3, 2016, at 3:44 PM, Wood, Robert <Wood.Robert@epa.gov> wrote:

Dan,

Any chance we can talk by phone for a minute before 304(m) plan FAR?

My cell is 202-329-8053. Thanks

Rob

Robert Wood
Director,
Engineering and Analysis Division
U.S. EPA Office of Water
202-566-1822
c) 202-329-8053

Sent from my iPhone (please excuse typos)